

Form 6 - Application for code compliance certificate

Section 92, Building Act 2004 (Form 6)

THE BUILDING CONSENT

Building consent N°:

Date granted:

Street address of building:

Issued by (name of Building Consent Authority who issued the Building Consent):

Auckland Council

Current lawfully established use:

Year first constructed

Is qualified partner?

Passed final inspection date

Is this a new building?

THE COMPLIANCE SCHEDULE

Compliance schedule:

☐ New

☐ Amendment

Ex. Compliance schedule N°:

THE OWNER

Name of owner: (Include preferred form of address e.g. Mr, Miss, Dr if an individual)

Contact person: (Insert n/a if the applicant is an individual)

Mailing address:

Postcode:

Street address/registered office:

Phone number: Work

After hours:

Facsimile number:

Mobile:

Email address:

Website:

The following evidence of ownership is attached to this application:

☐ Certificate of Title

☐ Lease agreement

☐ Sale & Purchase agreement

☐ Other document showing full name of legal owners of the building

Note: only required if ownership has changed since the application for building consent was made: Ownership changed: ☐ Yes ☐ No

AGENT (only required if application is being made on behalf of the owner)

Name of agent:

Contact person:

Mailing address:

Postcode:

Street address/registered office:

Phone number: Work

After hours:

Facsimile number:

Mobile:

Email address:

Website:

Relationship to owner: *(supply details of authorisation from the owner to make the application on the owner's behalf)*

THE APPLICANT *(only required where sale and purchase agreement in place or certificate of title has not been issued)*

Name of applicant: *(Include preferred form of address e.g. Mr, Miss, Dr if an individual)*

Contact person: *(Insert n/a if the applicant is an individual)*

Mailing address:

Postcode:

Street address/registered office:

Phone number: Work

After hours:

Facsimile number:

Mobile:

Email address:

Website:

Relationship to owner: *(supply details of authorisation from the owner to make the application on the owner's behalf)*

FIRST POINT OF CONTACT FOR COMMUNICATIONS WITH COUNCIL / BUILDING CONSENT AUTHORITY

Full name:

Mailing address:

Postcode:

Phone number:

Mobile:

Facsimile number:

Email address:

Preferred method of correspondence and billing:

Email:

☐

Post:

☐

APPLICATION

Has the full scope of the consented building work been completed?

All building work to be carried out under the building consent specified on this form was completed on:

Date:

THE SELF-CERTIFICATION ENDORSED PLUMBER(S) AND/OR DRAINLAYER(S) WHO DID, ASSISTED IN DOING, OR SUPERVISED THE SELF-CERTIFIABLE PLUMBING OR SELF-CERTIFIABLE DRAINLAYING DESCRIBED IN THE BUILDING CONSENT IS/ARE AS FOLLOWS

Name	Plumbers, Gasfitters, and Drainlayers Board registration number	Particular work done, assisted with, or supervised

THE PERSONNEL OR LICENSED BUILDING PRACTITIONERS (LBP) WHO CARRIED OUT OR SUPERVISED THE RESTRICTED BUILDING WORK AND OTHER WORK(S) ARE AS FOLLOWS

Designer or Architect		Structural Engineer	
Name:		Name:	
Address:		Address:	
Daytime:	After hours:	Daytime:	After hours:
Mobile:	Fax:	Mobile:	Fax:
Registration or LBP Registration No:		Registration or LBP Registration No:	
Particular work carried out or supervised:		Particular work carried out or supervised:	
Head Contractor / Site Manager		Building / Carpentry work	
Name:		Name:	
Address:		Address:	
Daytime:	After hours:	Daytime:	After hours:
Mobile:	Fax:	Mobile:	Fax:
Registration or LBP Registration No:		Registration or LBP Registration No:	
Particular work carried out or supervised:		Particular work carried out or supervised:	
Drainlayer		Plumber	
Name:		Name:	
Address:		Address:	
Daytime:	After hours:	Daytime:	After hours:
Mobile:	Fax:	Mobile:	Fax:
Registration or LBP Registration No:		Registration or LBP Registration No:	
Particular work carried out or supervised:		Particular work carried out or supervised:	
Electrician		Gas Fitter	
Name:		Name:	
Address:		Address:	
Daytime:	After hours:	Daytime:	After hours:
Mobile:	Fax:	Mobile:	Fax:
Registration or LBP Registration No:		Registration or LBP Registration No:	
Particular work carried out or supervised:		Particular work carried out or supervised:	
Foundation work		Bricklaying	
Name:		Name:	
Address:		Address:	

Daytime:	After hours:	Daytime:	After hours:
Mobile:	Fax:	Mobile:	Fax:
Registration or LBP Registration No:		Registration or LBP Registration No:	
Particular work carried out or supervised:		Particular work carried out or supervised:	
Blocklaying		External plastering	
Name:		Name:	
Address:		Address:	
Daytime:	After hours:	Daytime:	After hours:
Mobile:	Fax:	Mobile:	Fax:
Registration or LBP Registration No:		Registration or LBP Registration No:	
Particular work carried out or supervised:		Particular work carried out or supervised:	
Roofing work		Other	
Name:		Name:	
Address:		Address:	
Daytime:	After hours:	Daytime:	After hours:
Mobile:	Fax:	Mobile:	Fax:
Registration or LBP Registration No:		Registration or LBP Registration No:	
Particular work carried out or supervised:		Particular work carried out or supervised:	

THE BUILDING CONTAINS THE FOLLOWING SPECIFIED SYSTEMS

(only required if the building has had specified systems installed or removed during construction)

Have any specified systems been added, altered or removed as a result of this building consent?

Does the building have an existing compliance schedule?

Existing compliance schedule number:

The following specified systems are contained on the compliance schedule for the building and, in the opinion of the personnel who installed them, are capable of performing to the performance standards set out in the building consent:

Specified system		Inspection, maintenance & reporting standards (please list standard if not referenced)	System notification (tick as applicable)		
			New	Altered	Removed
1	Automatic systems for fire suppression				
1/1	Sprinkler system Performance standard that the specified system was designed to: <input type="text"/>	☐ NZS 4541:2020 ☐ NZS 4541:2013 ☐ NZS 4515:2009 ☐ AS 1851:2012 ☐ Specific design solution/other	☐	☐	☐

1/2	Gas and foam flood or deluge systems; dry and wet fire extinguishing systems Performance standard that the specified system was designed to: <div></div>	☐ AS 1851:2012 ☐ AS 4214:2002 ☐ NFPA 11 ☐ NFPA 12 ☐ Specific design solution/other <div></div>	☐	☐	☐
2	Automatic or manual emergency warning systems for fire or other dangers				
2/1	What is the type of automatic or manual emergency warning system for fire? ☐ Audible ☐ Visual Performance standard that the specified system was designed to: <div></div>	☐ NZS 4512:2021 ☐ NZS 4512:2010 ☐ AS 1851:2012 ☐ Specific design solution/other <div></div>	☐	☐	☐
2/2	Automatic or manual emergency warning systems for other dangers (gas or other hazardous substances) Performance standard that the specified system was designed to: <div></div>	☐ NZS 5263:2017 ☐ AS 1851:2012 ☐ Specific design solution/other <div></div>	☐	☐	☐
3	Electromagnetic or automatic doors or windows				
3/1	Automatic doors e.g. sliding or revolving doors Are any of the doors interfaced with an emergency warning system? ☐ Yes ☐ No Performance standard that the specified system was designed to: <div></div>	☐ NZS 4239:1993 ☐ AS 5007:2007 ☐ Specific design solution/other <div></div>	☐	☐	☐
3/2	Access controlled doors (swipe card, keypad, sensor-delayed egress, etc) Are doors interfaced with an emergency warning system? ☐ Yes ☐ No	☐ Specific design solution/other <div></div>	☐	☐	☐

	Performance standard that the specified system was designed to: <div></div>				
3/3	Interfaced fire or smoke door or windows (electromagnetic door holders) Performance standard that the specified system was designed to: <div></div>	☐ Specific design solution/other <div></div>	☐	☐	☐
4	Emergency lighting systems Performance standard that the specified system was designed to: <div></div>	☐ AS/NZS 2293.2:2019 ☐ AS/NZS 2293.2:1995 ☐ Specific design solution/other <div></div>	☐	☐	☐
5	Escape route pressurisation systems Is the system interfaced with a fire alarm? ☐ Yes ☐ No Performance standard that the specified system was designed to: <div></div>	☐ AS 1851:2012 ☐ Specific design solution/other <div></div>	☐	☐	☐
6	Riser mains for use by fire services Performance standard that the specified system was designed to: <div></div>	☐ NZS 4510:2008 ☐ Specific design solution/other <div></div>	☐	☐	☐
7	Automatic backflow preventers connected to a potable water supply Performance standard that the specified system was designed to: <div></div>	☐ AS/NZS 2845.3:2020 ☐ Specific design solution/other <div></div>	☐	☐	☐
8	Lifts, escalators, travelators or other systems for moving people or goods within a building				

8/1	Passenger carrying lifts Is the system interfaced with a fire alarm? ☐ Yes ☐ No Performance standard that the specified system was designed to: <div></div>	☐ Schindler Expert Plus Methodology (E 2 Plus Checklist) ☐ NZS 4332:1997 ☐ NZS 4334:2012 ☐ Specific design solution/other <div></div>	☐	☐	☐
8/2	Goods or service lifts, dumb waiters, car stackers Is the system interfaced with a fire alarm? ☐ Yes ☐ No Performance standard that the specified system was designed to: <div></div>	☐ AS 5184:2017 ☐ NZS 4332:1997 ☐ EN 14010:2009 ☐ Specific design solution/other <div></div>	☐	☐	☐
8/3	Escalators and moving walks Is the system interfaced with emergency warning systems? ☐ Yes ☐ No Performance standard that the specified system was designed to: <div></div>	☐ EN 115:2008 ☐ Specific design solution/other <div></div>	☐	☐	☐
9	Mechanical ventilation or air-conditioning systems Cooling tower installed ☐ Yes ☐ No Interfaced with fire alarm ☐ Yes ☐ No Spray booth ☐ Yes ☐ No Kitchen hood ☐ Yes ☐ No Performance standard that the specified system was designed to: <div></div>	☐ AS 1851:2012 ☐ AS/NZS 3666.2:2011 ☐ AS/NZS 3666.3:2011 ☐ AS/NZS 4114.2:2003 ☐ Specific design solution/other <div></div>	☐	☐	☐
10	Building maintenance units or other devices providing access to the interior / exterior of a building Performance standard that the specified system was designed to: <div></div>	☐ BS 6037.1:2017 ☐ BS 6037.2:2020 ☐ Specific design solution/other <div></div>	☐	☐	☐

11	Laboratory fume cupboards Performance standard that the specified system was designed to: <div></div>	☐ AS/NZS 2243.8:2014 ☐ Specific design solution/other <div></div>	☐	☐	☐
12	Audio loops or other assistive listening systems				
12/1	Audio loop Is the system interfaced with a fire alarm? ☐ Yes ☐ No Performance standard that the specified system was designed to: <div></div>	☐ AS 60118.4:2007 ☐ AS 1088.4:1987 ☐ Specific design solution/other <div></div>	☐	☐	☐
12/2	FM radio frequency systems and infrared beam transmission Is the system interfaced with a fire alarm? ☐ Yes ☐ No Performance standard that the specified system was designed to: <div></div>	☐ Specific design solution/other <div></div>	☐	☐	☐
13	Smoke control systems				
13/1	Mechanical smoke control systems Is the system interfaced with a fire alarm? ☐ Yes ☐ No Performance standard that the specified system was designed to: <div></div>	☐ AS 1851:2012 ☐ Specific design solution/other <div></div>	☐	☐	☐
13/2	Natural smoke control systems Is the system interfaced with a fire alarm? ☐ Yes ☐ No Performance standard that the specified system was designed to: <div></div>	☐ AS 1851:2012 ☐ EN 12101-2:2017 ☐ Specific design solution/other <div></div>	☐	☐	☐

13/3	Smoke curtains Is the system interfaced with a fire alarm? ☐ Yes ☐ No Performance standard that the specified system was designed to: <div></div>	☐ AS 1851:2012 ☐ Specific design solution/other <div></div>	☐	☐	☐
14	Emergency power systems for, or signs relating to, a system or feature in any of the specified systems 1 – 13				
14.1	Emergency power systems installed for the purpose of supplying power to any of the specified systems 1–13 What systems does this relate to? <div> ☐ SS 1/1 ☐ SS 8/1 ☐ SS 1/2 ☐ SS 8/2 ☐ SS 2/1 ☐ SS 8/3 ☐ SS 2/2 ☐ SS 9 ☐ SS 3/1 ☐ SS 10 ☐ SS 3/2 ☐ SS 11 ☐ SS 3/3 ☐ SS 12/1 ☐ SS 4 ☐ SS 12/2 ☐ SS 5 ☐ SS 13/1 ☐ SS 6 ☐ SS 13/2 ☐ SS 7 ☐ SS 13/3 </div> Performance standard that the specified system was designed to: <div></div>	☐ NZS 6104:1981 ☐ Specific design solution/other <div></div>	☐	☐	☐
14.2	Signs for all systems 1-13 What systems does this relate to? <div> ☐ SS 1/1 ☐ SS 8/1 ☐ SS 1/2 ☐ SS 8/2 ☐ SS 2/1 ☐ SS 8/3 ☐ SS 2/2 ☐ SS 9 ☐ SS 3/1 ☐ SS 10 ☐ SS 3/2 ☐ SS 11 ☐ SS 3/3 ☐ SS 12/1 ☐ SS 4 ☐ SS 12/2 ☐ SS 5 ☐ SS 13/1 ☐ SS 6 ☐ SS 13/2 ☐ SS 7 ☐ SS 13/3 </div> Performance standard that the specified system was designed to: <div></div>	☐ Specific design solution/other <div></div>	☐	☐	☐

15	Any of all of the following systems and features, so long as they form part of a building's means of escape from fire, and so long as those means also contain any or all of the systems or features specified in clauses 1 to 6, 9 and 13:				
15a	Systems for communicating spoken information intended to facilitate evacuation Performance standard that the specified system was designed to: <div></div>	☐ NZS 4512:2021 ☐ AS 1851:2012 ☐ Specific design solution/other <div></div>	☐	☐	☐
15b	Final exits Performance standard that the specified system was designed to: <div></div>	☐ Specific design solution/other <div></div>	☐	☐	☐
15c	Fire separation Performance standard that the specified system was designed to: <div></div>	☐ NZS 4520:2010 ☐ Specific design solution/other <div></div>	☐	☐	☐
15d	Signs for communicating information intended to facilitate evacuation Performance standard that the specified system was designed to: <div></div>	☐ Specific design solution/other <div></div>	☐	☐	☐
15e	Smoke separation Performance standard that the specified system was designed to: <div></div>	☐ Specific design solution/other <div></div>	☐	☐	☐

16	Cable cars	☐ NZS 5270:2005 ☐ Specific design solution/other	☐	☐	☐
	Performance standard that the specified system was designed to: <div></div>				

Describe where the compliance schedule and the written reports (obtained in accordance with the compliance schedule) are to be kept:

BILLING

All related invoices/refunds to be billed to:

Owner:

☐

Agent:

☐

Applicant:

☐

Preferred method of billing:

Email:

☐

Post:

☐

AC2132 Authority to refund fees associated with a building consent to another person can be used to authorise Council to refund payments to another person.

Purchase order / Reference number: (if applicable)

Please note: any refunds are paid to the receipted name unless written authorisation has been received from the receipted person or company stating otherwise

REQUEST

☐

I request that you issue a code compliance certificate for this work under s.95 of the Building Act 2004

The code compliance certificate should be sent to:

Owner:

☐

Agent:

☐

Name of the person signing application:

Signature:

Owner:

☐

Agent:

☐

Date:

ATTACHMENTS (the following documents are attached to this application)

- ☐ Producer Statements
- ☐ Memoranda from licensed building practitioners stating what restricted building work they carried out or supervised
- ☐ Energy work certificates
- ☐ Evidence that specified systems are capable of performing to the performance standards set out in the building consent
- ☐ Certificate from personnel who carried out the building work
- ☐ Current manufactures(s) certification
- ☐ Certificate(s) of compliance for the self-certifiable plumbing done, assisted with, or supervised
- ☐ Certificate(s) of compliance for the self-certifiable drainlaying done, assisted with, or supervised
- ☐ Attach any additional document(s) for this application

COMMENTS: